[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Version: 2.0/EN

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier First developer

1.2 Relevant identified uses of the substance or mixture and uses advised against

<u>Relevant identified uses:</u> photographic developer. <u>Uses advised against:</u> not determined.

1.3 Details of the supplier of the safety data sheet

Manufacturer: Adox Fotowerke GmbH

Address: Pieskower Str. 30A, 15526 Bad Saarow, Germany

Telephone/fax: 033631/645927

E-mail address for a competent person responsible for SDS: info@adox.de

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Sens. 1 H317, Eye Dam. 1 H318, Muta. 2 H341, Carc. 2 H351, Aquatic Chronic 3 H412

May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing genetic defects. Suspected of causing cancer. Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictograms and signal words



Names of substances mentioned on the label

Contains sodium metabisulphite; hydroquinone.

Hazard statements

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P264 Wash hands thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear eye protection/face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P501 Dispose of contents/container in accordance with local regulations.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

2.3 Other hazards

The components of this mixture do not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

CAS: 7681-57-4	sodium metabisulphite	
EC: 231-673-0	Acute Tox. 4 H302, Eye Dam. 1 H318, EUH031*	
Index number: 016-063-00-2		2-3 %
REACH number:		
01-2119531326-45-XXXX		
CAS: 584-08-7	potassium carbonate	
EC: 209-529-3	Skin Irrit. 2 H315, Eye Irrit. 2 H319, STOT SE 3 H335	2-3 %
Index number: -		2-5 %
REACH number: -		
CAS: 123-31-9	hydroquinone	
EC: 204-617-8	Acute Tox. 4 302, Eye Dam. 1 H318, Skin Sens. 1 H317, Muta. 2 H341, Carc	
Index number: 604-005-00-4	2 H351, Aquatic Acute 1 H400 (M=10), Aquatic Chronic 1 H410 (M=1)	1-<2,5 %
REACH number:		
01-2119524016-51-XXXX		
CAS: 1310-73-2	sodium hydroxide	
EC: 215-185-5	Met. Corr. 1 H290, Skin Corr. 1A H314, Eye Dam. 1 H318	
Index number: 011-002-00-6	Specific concentration limits:	
REACH number:	Eye Irrit. 2 H319: 0,5 % ≤ C < 2 %	< 0,5 %
01-2119457892-27-XXXX	Skin Corr. 1A H314: C ≥ 5 %	
	Skin Corr. 1B H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2 H315: 0,5 % ≤ C < 2 %	

*Additional code specifying the type of threat.

Full text of each relevant H phrase is given in section 16 of SDS.

Section 4: First aid measures

4.1 Description of first aid measures

<u>Skin contact</u>: consult a doctor if disturbing symptoms appear. Take off contaminated clothing. Wash the contaminated skin thoroughly with plenty of water with soap.

<u>Eye contact</u>: consult a doctor immediately. Protect the non-irritated eye, remove contact lenses. Wash the contaminated eyes with plenty of water for 10-15 minutes. Avoid powerful water stream – risk of cornea damage. Put on sterile dressing.

<u>Ingestion</u>: consult a doctor if disturbing symptoms appear. Rinse mouth with water, give plenty of water to drink. Never give anything by mouth to an unconscious person.

Inhalation: consult a doctor if disturbing symptoms appear. Move the victim to fresh air. Keep victim warm and calm.

4.2 Most import ant symptoms and effects, both acute and delayed

Skin contact: prolonged contact may cause redness, skin dryness, itch, rash or other allergic reactions.

Eye contact: possible redness, tearing, burning sensation pain, irritation, risk of eye damage.

Ingestion: possible stomach pain, nausea, vomiting.

Inhalation: high concentration of vapours and mists may cause respiratory tract irritation.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended

Date of update: 29.04.2020



Other effects of exposure: suspected of causing genetic defects. Suspected of causing cancer.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured.

Section 5: Firefighting measures

5.1 Extinguishing media

<u>Suitable extinguishing media:</u> adapt the extinguishing media to surrounding materials. <u>Unsuitable extinguishing media:</u> water jet – risk of the propagation of the flame.

5.2 Special hazards arising from the substance or mixture

During the fire, the product may produce toxic fumes of carbon oxides or other unidentified thermal decomposition products. Do not inhale combustion products, they can be dangerous for human health.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool the endangered containers with water spray from a safe distance. Collect used extinguishing media.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that only the trained personnel removes the effects of the accident. In case of large spills, isolate the exposed area. Use personal protective measures. Avoid skin and eyes contamination. Ensure adequate ventilation.

6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

Large leakage: isolate places where liquid accumulates; pump the collected liquid out of contaminated area. Small leakage: collect with liquid absorbing materials (e.g. soil, sand, silica, universal binding agent, vermiculite, etc.) and place it in labeled containers. Treat the collected material as waste. Clean the contaminated place and ventilate it.

6.4 Reference to other sections

Personal protective equipment - see section 8. Appropriate conduct with waste product - see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Avoid contact with skin and eyes. Before break and after work wash hands. Use only in accordance with the identified purpose. Ensure adequate ventilation of area, where the product is used. Use personal protective equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in tightly closed, original containers in a dry, cool and well-ventilated area. Keep away from food, beverages or animal feed. Avoid direct exposure to sunlight. Do not store with incompatible materials (see subsection 10.5).

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

7.3 Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

Section 8: Exposure controls/personal protection

8.1 **Control parameters**

No occupational exposure limit values were established for the components of the mixture.

Legal basis: Commission Directive 2006/15/EC, 2000/39/EC, 2009/161/EC, 2017/164/EU, 2019/1831/EU.

Please check any national occupational exposure limit values in your country.

DNEL for sodium metabisulphite [CAS 7681-57-4]

Workers, Long-term - systemic effects, inhalation:	225 mg/m ³		
Population, Long-term - systemic effects, inhalation:	66 mg/m³		
Population, Long-term - systemic effects, oral:	8,6 mg/kg bw/day		
DNEL for potassium carbonate [CAS 584-08-7]			
Workers, Long-term - local effects, inhalation:	10 mg/m ³		
PNEC for sodium metabisulphite [CAS 7681-57-4]			
Fresh water:	1 mg/l		
Marine water:	0,1 mg/l		

Fresh water:	1 mg/l
Marine water:	0,1 mg/l
Sewage treatment plant:	75,4 mg/l

8.2 **Exposure controls**

Use the product in accordance with good occupational hygiene and safety practices. Ensure adequate ventilation of the area where the product is used and stored. Before break and after work wash hands carefully. Do not eat, drink or smoke when using the product. Take off contaminated clothing and wash it before next use. Provide eye fountain.

Hand and body protection

Use protective gloves resistant to the product. Material for gloves choose individually at the worplace. In case of a short contact, use protective gloves with effectiveness level \geq 2 (breakthrough time > 30 min.). In case of a prolonged contact, use protective gloves with effectiveness level = 6 (breakthrough time > 480 min.). Wear protective clothing.

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

Eyes protection

Use safety glasses.

Respiratory protection

Use respiratory protection in case of insufficient ventilation.

Applied personal protective equipment must comply with the requirements of the Regulation (EU) 2016/425. The choice of personal protective equipment should be made taking into account the concentration and form of the substance in the workplace, the routes of exposure, the time of exposure and activities performed by the employee. The employer is obliged to provide protective equipment relevant to performed activities and in accordance with all quality requirements, including its maintenance and cleaning.

Environmental exposure controls

Do not allow large quantities of the product to contaminate ground water, drains, sewages or soil. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

physical state: colour: odour: odour threshold: pH (25,8 °C): melting point/freezing point: initial boiling point and boiling range: flash point: evaporation rate: flammability (solid, gas): upper/lower flammability or explosive limits:	liquid colourless odourless not determined 9,96 not determined not determined not determined not determined not determined not applicable not determined
vapour density:	not determined
density (26,3 °C):	1,076 g/cm ³
solubility(ies):	solutable in water
partition coefficient: n-octanol/water:	not determined
auto-ignition temperature:	not determined
decomposition temperature:	not determined
explosive properties:	not display
oxidising properties:	not display
viscosity:	not determined

9.2 Other information

There are no additional test results.

Section 10: Stability and reactivity

10.1 Reactivity

Product is reactive. Product does not undergo a dangerous polymerization. See also subsections 10.3-10.5.

10.2 Chemical stability

The product is stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

10.4 Conditions to avoid

Avoid heat sources and direct exposure to sunlight.

10.5 Incompatible materials

Strong oxidizing agents, acids, bases.

10.6 Hazardous decomposition products

Not known.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

		Section 11:	Toxicological information	
11.1	Information on toxicological effects			
	Toxicity of components			
	potassium carbonate [CA	<u>584-08-71</u>		
	LD ₅₀ (oral, rat)	> 2000 mg/kg		
	LD ₅₀ (dermal, rabbit)	> 2000 mg/kg		
	sodium metabisulphite [C	<u>AS 7681-57-4]</u>		
	LD ₅₀ (oral, rat)	1540 mg/kg		
	LD ₅₀ (dermal, rat)	> 2000 mg/kg		
	Toxicity of mixture			
	Acute toxicity			
	ATEmix (oral)	> 2000 mg/kg		
	-		classification of a substance in a mixture was determined using the .2 in Annex I to CLP as amended.	
	Based on available data, t	he classification cri	iteria are not met.	
	Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity			
	Suspected of causing gen	etic defects.		
	Carcinogenicity			
	Suspected of causing can	cer.		
	Reproductive toxicity			
	Based on available data, t	he classification cri	iteria are not met.	
	STOT-single exposure			
	Based on available data, t	he classification cri	iteria are not met.	
	STOT-repeated exposure			
	Based on available data, t	he classification cri	iteria are not met.	
	Aspiration hazard			
	Based on available data, t	he classification cri	iteria are not met.	

Section 12: Ecological information

12.1 Toxicity

Toxicity of components

potassium carbonate [CAS 584-08-7] Toxicity for invertebrates EC_{50} 200 mg/l/48 h (*Daphnia magna*) sodium metabisulphite [CAS 7681-57-4] Toxicity for fish: $LC_{50} > 150$ mg/l (*Oncorhynchus mykiss*) Toxicity for daphnia: EC_{50} : 89 mg/l/48h Toxicity for algae: EC_{50} 48 mg/l (*Scenedesmus subspicatus*)

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Toxicity of mixture

Harmful to aquatic life with long lasting effects..

12.2 Persistence and degradability

No data.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5 Results of PBT and vPvB assessment

Components of the mixture do not meet the PBT or vPvP criteria.

12.6 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (e.g., endocrine disrupting potential, global warming potential).

Section 13: Disposal considerations

13.1 Waste treatment methods

<u>Disposal methods for the product</u>: disposal in accordance with the local legislation. Store residues in original containers. Recycle, if possible. Waste code should be given in the place of waste formation.

<u>Disposal methods for used packing</u>: reuse/recycle/liquidate empty containers in accordance with the legislation in force. Only containers completely empty can be recycled.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

Section 14: Transport information

14.1 UN number

Not applicable. Product is not classified as dangerous during transport (by land, by sea or by air).

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Commission Directive 2017/164/EU of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

Commission Directive 2019/1831/EU of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Regulation (EU) No 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

Section 16: Other information

Full text of indicated H pl	nrases mentioned in section 3
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
EUH031	Contact with acids liberates toxic gas.
Clarification of aberration	as and acronyms
PBT	Persistent, Bioaccumulative and Toxic substance
vPvB	very Persistent, very Bioaccumulative substance.
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1A,1B	Skin corrosion cat. 1A,1B

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Eye Irrit. 2	Eye irritation category 2
Skin Irrit. 2	Skin irritation category 2
Skin Sens. 1	Skin sensitization act. 1, 1B
Met. Corr. 1	Substance or mixture corrosive to metals cat. 1
Eye Dam. 1	Serious eye damage category 1
Muta. 2	Germ cell mutagenicity cat. 2
Carc. 2	Carcinogenicity category 2
Aquatic Chronic 1	Hazardous to the aquatic environment (chronic) category 1,2
Aquatic Acute 1	Hazardous to the aquatic environment (acute) category 1
STOT SE 3	Specific target organ toxicity — single exposure category 3

<u>Trainings</u>

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and sources of data

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.

Procedures used to classify the mixture according to Regulation EC 1272/2008

section: 1-16

Classification was based on test results and data on the content of hazardous substances and prepared using calculation method under the guidance of Regulation 1272/2008/EC (CLP) as amended.

<u>Other data</u>

Safety Data Sheet made by: "THETA" Doradztwo Techniczne

Changes:

This SDS annuls and replaces all previous versions

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Version: 2.0/EN

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier Bleach-bath**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: bleach-bath for photographic use. not determined. Uses advised against:

1.3 Details of the supplier of the safety data sheet

Manufacturer: **Adox Fotowerke GmbH**

Address: Pieskower Str. 30A, 15526 Bad Saarow, Germany

Telephone/fax: 033631/645927

E-mail address for a competent person responsible for SDS: info@adox.de

1.4 **Emergency telephone number**

112

Hazards identification Section 2:

Classification of the substance or mixture 2.1

Product is not classified as hazardous for human health and for the environment.

2.2 Label elements

Hazard pictograms and signal words

None.

Hazard statements

None.

Precautionary statements

None.

Additional information

EUH210 Safety data sheet available on request.

2.3 **Other hazards**

The components of this mixture do not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

Section 3: **Composition/information on ingredients**

3.1 Substances

Not applicable.

3.2 Mixtures

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

CAS: 7722-64-7 EC: 231-760-3 Index number: 025-002-00-9 REACH number: 01-2119480139-34-XXXX	potassium permanganate Ox. Sol. 2 H272, Acute Tox. 4 H302, Aquatic Acute 1 H400 (M=10), Aquatic Chronic 1 H410 (M=10), Repr. 2 H361d	0,1-0,2 %	
---	--	-----------	--

Full text of each relevant H phrase is given in section 16 of SDS.

Section 4: First aid measures

4.1 Description of first aid measures

<u>Skin contact</u>: consult a doctor if disturbing symptoms appear. Take off contaminated clothing. Wash the contaminated skin thoroughly with plenty of water with soap.

<u>Eye contact</u>: consult a doctor if disturbing symptoms appear. Protect the non-irritated eye, remove contact lenses. Wash the contaminated eyes with plenty of water for 10-15 minutes. Avoid powerful water stream – risk of cornea damage.

<u>Ingestion</u>: consult a doctor if disturbing symptoms appear. Rinse mouth with water, give plenty of water to drink. Never give anything by mouth to an unconscious person.

Inhalation: consult a doctor if disturbing symptoms appear. Move the victim to fresh air. Keep victim warm and calm.

4.2 Most import ant symptoms and effects, both acute and delayed

Skin contact: long contact may cause redness, skin dryness.

Eve contact: possible redness, tearing, burning sensation, blurred vision.

Ingestion: possible stomach pain, nausea, vomiting.

Inhalation: high concentration of vapours and mists may cause respiratory tract irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured.

Section 5: Firefighting measures

5.1 Extinguishing media

<u>Suitable extinguishing media:</u> adapt the extinguishing media to surrounding materials. <u>Unsuitable extinguishing media:</u> water jet – risk of the propagation of the flame.

5.2 Special hazards arising from the substance or mixture

During the fire, the product may produce toxic fumes of carbon oxides, phosphorus oxides or other unidentified thermal decomposition products. Do not inhale combustion products, they can be dangerous for human health.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool the endangered containers with water spray from a safe distance. Collect used extinguishing media.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that only the trained personnel removes the effects of the accident. In case of large spills, isolate the exposed area. Use personal protective measures. Avoid skin and eyes contamination. Ensure adequate ventilation.

6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

Large leakage: isolate places where liquid accumulates; pump the collected liquid out of contaminated area. <u>Small leakage:</u> collect with liquid absorbing materials (e.g. soil, sand, silica, universal binding agent, vermiculite, etc.) and place it in labeled containers. Treat the collected material as waste. Clean the contaminated place and ventilate it.

6.4 Reference to other sections

Personal protective equipment - see section 8. Appropriate conduct with waste product - see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Avoid contact with skin and eyes. Before break and after work wash hands. Use only in accordance with the identified purpose. Ensure adequate ventilation of area, where the product is used. Use personal protective equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in tightly closed, original containers in a dry, cool and well-ventilated area. Keep away from food, beverages or animal feed. Avoid direct exposure to sunlight. Do not store with incompatible materials (see subsection 10.5).

7.3 Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Legal basis: Commission Directive 2006/15/EC, 2000/39/EC, 2009/161/EC, 2017/164/EU, 2019/1831/EU. Please check any national occupational exposure limit values in your country.

Recommended control procedures

Procedures Concerning the control over the dangerous components concentrations in the air and control over the air quality in the workplace - if they are available and Justified for the position - in Accordance with the European Standards, with the conditions within the exposure place and a proper test methodology adapted to the working conditions.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Version: 2.0/EN

8.2 Exposure controls

Use the product in accordance with good occupational hygiene and safety practices. Ensure adequate ventilation of the area where the product is used and stored. Before break and after work wash hands carefully. Do not eat, drink or smoke when using the product. Take off contaminated clothing and wash it before next use. Hand and body protection

Use protective gloves resistant to the product. Material for gloves choose individually at the worplace. In case of a short contact, use protective gloves with effectiveness level \geq 2 (breakthrough time > 30 min.). In case of a prolonged contact, use protective gloves with effectiveness level = 6 (breakthrough time > 480 min.). Wear protective clothing.

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

Eyes protection

Not required under normal conditions of work. Use safety glasses if there is a risk of eye contamination.

Respiratory protection

Use respiratory protection in case of insufficient ventilation.

Applied personal protective equipment must comply with the requirements of the Regulation (EU) 2016/425. The choice of personal protective equipment should be made taking into account the concentration and form of the substance in the workplace, the routes of exposure, the time of exposure and activities performed by the employee. The employer is obliged to provide protective equipment relevant to performed activities and in accordance with all quality requirements, including its maintenance and cleaning.

Environmental exposure controls

Do not allow large quantities of the product to contaminate ground water, drains, sewages or soil. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

oxidising properties: viscosity:

9.2 Other information

There are no additional test results.

Section 10: Stability and reactivity

not display

not determined

10.1 Reactivity

Product is reactive. Product does not undergo a dangerous polymerization. See also subsections 10.3-10.5.

10.2 Chemical stability

The product is stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

Phosphoric acid reacts exothermically during dilution and neutralization. With many metals strong corrosion to form hydrogen gas.

10.4 Conditions to avoid

Avoid heat sources and direct exposure to sunlight.

10.5 Incompatible materials

Alkalis, base metals, aluminum, zinc and other light metals.

10.6 Hazardous decomposition products

Not known.

Section 11: Toxicological information

11.1 Information on toxicological effects Toxicity of components

potassium permanganate [CAS 7722-64-7]

LD₅₀ (oral, rat) 2000 mg/kg

LD₅₀ (dermal, rat) 2000 mg/kg

Toxicity of mixture

Acute toxicity

ATEmix (oral) > 2000 mg/kg

The acute toxicity estimate (ATEmix) for the classification of a substance in a mixture was determined using the appropriate conversion value from Table 3.1.2 in Annex I to CLP as amended.

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Version: 2.0/EN

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

12.1 Toxicity

Toxicity of components

potassium permanganate [CAS 7722-64-7] LC₅₀ 0,47 mg/l (96h, *Poecilia reticulata*) EC₅₀ 0,06 mg/l (48h, *Daphnia magna*) ErC₅₀ 0,8 mg/l (72h, algae)

Toxicity of mixture

Product is not classified as dangerous for the environment.

12.2 Persistence and degradability

No specific data for the product.

12.3 Bioaccumulative potential

potassium permanganate [CAS 7722-64-7] logKo/w -1,73

12.4 Mobility in soil

Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5 Results of PBT and vPvB assessment

Components of the mixture do not meet the PBT or vPvP criteria.

12.6 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (e.g., endocrine disrupting potential, global warming potential).

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Section 13: Disposal considerations

13.1 Waste treatment methods

<u>Disposal methods for the product</u>: disposal in accordance with the local legislation. Store residues in original containers. Recycle, if possible. Waste code should be given in the place of waste formation.

<u>Disposal methods for used packing</u>: reuse/recycle/liquidate empty containers in accordance with the legislation in force. Only containers completely empty can be recycled.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

Section 14: Transport information

14.1 UN number

Not applicable. Product is not classified as dangerous during transport.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended



Date of update: 29.04.2020

Version: 2.0/EN

Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Commission Directive 2017/164/EU of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

Commission Directive 2019/1831/EU of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Regulation (EU) No 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

Section 16: Other information

Full text of indicated H phrases mentioned in section 3			
H272	May intensify fire; oxidiser.		
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H361d	Suspected of damaging the unborn child.		
Clarification of aberrations and acronyms			
PBT	Persistent, Bioaccumulative and Toxic substance		
vPvB	very Persistent, very Bioaccumulative substance.		
Met. Corr. 1	Substance or mixture corrosive to metals category 1		
Eye Irrit. 2	Eye irritation category 2		
Skin Irrit. 2	Skin irritation category 2		
Repr. 2	Reproductive toxicity category 2		
Skin Corr. 1B	Skin corrosion category 1B		
Aquatic Acute 1	Hazardous to the aquatic environment category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment category 1		
Acute Tox. 4	Acute Toxicity category 4		

<u>Trainings</u>

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and sources of data

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.

Procedures used to classify the mixture according to Regulation EC 1272/2008

Classification was based on test results and data on the content of hazardous substances and prepared using calculation method under the guidance of Regulation 1272/2008/EC (CLP) as amended.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended




Date of update: 29.04.2020

Version: 2.0/EN

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]





Version: 2.0/EN

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trade name:	Clear-bath
	Chemical name:	sodium sulfate anhydrous
	CAS number:	7757-82-6
	REACH number:	01-2119537420-49-XXXX
1.2	Relevant identified uses	of the substance or mixture and uses advised against
	Relevant identified uses:	clear-bath for photografic use.
	Uses advised against:	not determined.
1.3	3 Details of the supplier of the safety data sheet	
	Manufacturer:	Adox Fotowerke GmbH
	Address:	Pieskower Str. 30A, 15526 Bad Saarow, Germany
	Telephone/fax:	033631/645927

E-mail address for a competent person responsible for SDS: info@adox.de

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Product is not classified as hazardous for human health and for the environment.

2.2 Label elements

Hazard pictograms and signal words

None.

Names of substances mentioned on the label

None.

Hazard statements

None.

Precautionary statements

None.

2.3 Other hazards

This substance do not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

Section 3: Composition/information on ingredients

3.1 Substances

<u>sodium sulfate anhydrous</u>	
concentration: \leq 100 %	
CAS number: 7757-82-6	
EC number 231-820-9	
REACH number: 01-2119537420-49-XXXX	

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of update: 29.04.2020

3.2 Mixtures

Not applicable.

Section 4: First aid measures

4.1 Description of first aid measures

<u>Skin contact</u>: consult a doctor if disturbing symptoms appear. Take off contaminated clothing. Wash the contaminated skin thoroughly with plenty of water with soap.

<u>Eye contact</u>: consult a doctor if disturbing symptoms appear. Protect the non-irritated eye, remove contact lenses. Wash the contaminated eyes with plenty of water for 10-15 minutes. Avoid powerful water stream – risk of cornea damage. Put on sterile dressing.

<u>Ingestion</u>: consult a doctor – show the container or label. Do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.

Inhalation: consult a doctor if disturbing symptoms appear. Move the victim to fresh air. Keep victim warm and calm.

4.2 Most import ant symptoms and effects, both acute and delayed

Skin contact: long contact may cause redness, skin dryness.

Eye contact: redness, tearing, burning, pain.

Ingestion: possible stomach pain, nausea, vomiting.

Inhalation: irritation of the respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured.

Section 5: Firefighting measures

5.1 Extinguishing media

<u>Suitable extinguishing media</u>: dry chemicals, alcohol-resistant foam, CO₂, water spray. <u>Unsuitable extinguishing media</u>: water jet – risk of the propagation of the flame.

5.2 Special hazards arising from the substance or mixture

During the fire, the product may produce toxic fumes of carbon oxides or other unidentified thermal decomposition products. Do not inhale combustion products, they can be dangerous for human health.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool the endangered containers with water spray from a safe distance. Collect used extinguishing media.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that only the trained personnel removes the effects of the accident. In case of large spills, isolate the exposed area. Use personal protective measures. Avoid skin and eyes contamination. Ensure adequate ventilation.



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of update: 29.04.2020



6.2 **Environmental precautions**

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Treat the collected material material as waste. Clean the contaminated area.

6.4 **Reference to other sections**

Personal protective equipment - see section 8. Appropriate conduct with waste product - see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Avoid contact with skin and eyes. Before break and after work wash hands. Use only in accordance with the identified purpose. Do not breathe dust. Ensure adequate ventilation of area, where the product is used. Use personal protective equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in tightly closed, original containers in a dry, cool and well-ventilated area. Keep away from food, beverages or animal feed. Avoid direct exposure to sunlight. Do not store with incompatible materials (see subsection 10.5).

7.3 Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

Section 8: **Exposure controls/personal protection**

8.1 **Control parameters**

No occupational exposure limit values were established for the components of the mixture. Legal basis: Commission Directive 2006/15/EC, 2000/39/EC, 2009/161/EC, 2017/164/EU, 2019/1831/EU. Please check any national occupational exposure limit values in your country.

8.2 **Exposure controls**

Use the product in accordance with good occupational hygiene and safety practices. Ensure adequate ventilation of the area where the product is used and stored. Before break and after work wash hands carefully. Do not eat, drink or smoke when using the product. Take off contaminated clothing and wash it before next use.

Hand and body protection

Use protective gloves resistant to the product. Material for gloves choose individually at the worplace. In case of a short contact, use protective gloves with effectiveness level ≥ 2 (breakthrough time > 30 min.). In case of a prolonged contact, use protective gloves with effectiveness level = 6 (breakthrough time > 480 min.). Wear protective clothing.

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

Eyes protection

Use tight protective glasses.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of update: 29.04.2020



Version: 2.0/EN

Respiratory protection

Use respiratory protection in case of insufficient ventilation.

Applied personal protective equipment must comply with the requirements of the Regulation (EU) 2016/425. The choice of personal protective equipment should be made taking into account the concentration and form of the substance in the workplace, the routes of exposure, the time of exposure and activities performed by the employee. The employer is obliged to provide protective equipment relevant to performed activities and in accordance with all quality requirements, including its maintenance and cleaning.

Environmental exposure controls

Do not allow large quantities of the product to contaminate ground water, drains, sewages or soil. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

physical state:	solid				
colour:	white				
odour:	odorless				
odour threshold:	not determined				
pH:	9				
melting point/freezing point:	not determined				
initial boiling point and boiling range:	not determined				
flash point:	not determined				
evaporation rate:	not determined				
flammability (solid, gas):	not determined				
upper/lower flammability or explosive limits:	not determined				
vapour pressure:	not determined				
vapour density:	not determined				
density	1,45 g/cm³				
solubility(ies):	solutable in water				
partition coefficient: n-octanol/water:	not determined				
auto-ignition temperature:	not determined				
decomposition temperature:	not determined				
explosive properties:	not display				
oxidising properties:	not display				
viscosity dynamic:	not applicable				

9.2 Other information

There are no additional test results.

Section 10: Stability and reactivity

10.1 Reactivity

Product is reactive. Product does not undergo a dangerous polymerization. See also subsections 10.3-10.5.

10.2 Chemical stability

The product is stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

10.4 Conditions to avoid

Avoid heat and moisture.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of update: 29.04.2020

10.5 Incompatible materials

Strong oxidizing agents, acids, bases.

10.6 Hazardous decomposition products

Not known.



Version: 2.0/EN

	Section 11: Toxicological information
11.1	Information on toxicological effects
	Toxicity of components
	sodium metabisulphite [CAS 7681-57-4]
	LD_{50} (oral, rat) > 2610 mg/kg
	LC ₅₀ (inhalation, rat) > 5 mg/l/4h
	Toxicity of mixture
	Acute toxicity
	Based on available data, the classification criteria are not met.
	Skin corrosion/irritation
	Based on available data, the classification criteria are not met.
	Serious eye damage/irritation
	Based on available data, the classification criteria are not met.
	Respiratory or skin sensitisation
	Based on available data, the classification criteria are not met.
	Germ cell mutagenicity
	Based on available data, the classification criteria are not met.
	Carcinogenicity
	Based on available data, the classification criteria are not met.
	Reproductive toxicity
	Based on available data, the classification criteria are not met.
	STOT-single exposure
	Based on available data, the classification criteria are not met.
	STOT-repeated exposure
	Based on available data, the classification criteria are not met.
	Aspiration hazard

Based on available data, the classification criteria are not met.

Section 12: Ecological information

12.1 Toxicity

Toxicity for fish: 220 - 460 mg/L (96 h) Toxicity for daphnia: 273 mg/L (48 h) Toxicity for microorganisms: 770 mg/L (17 h)

Toxicity of mixture

Product is not classified as dangerous for the environment.

12.2 Persistence and degradability

No specific data for the product.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of update: 29.04.2020



Version: 2.0/EN

12.3 Bioaccumulative potential

partition coefficient: n-octanol/water: -4

12.4 Mobility in soil

Mobility of substance in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5 Results of PBT and vPvB assessment

Components of the mixture do not meet the PBT or vPvP criteria.

12.6 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (e.g., endocrine disrupting potential, global warming potential).

Section 13: Disposal considerations

13.1 Waste treatment methods

<u>Disposal methods for the product</u>: disposal in accordance with the local legislation. Store residues in original containers. Recycle, if possible. Waste code should be given in the place of waste formation.

<u>Disposal methods for used packing</u>: reuse/recycle/liquidate empty containers in accordance with the legislation in force. Only containers completely empty can be recycled.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

Section 14: Transport information

14.1 UN number

Not applicable. Product is not classified as dangerous during transport.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of update: 29.04.2020



Version: 2.0/EN

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Commission Directive 2017/164/EU of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

Regulation (EU) No 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

Section 16: Other information

Clarification o	f aberrations	and a	crony	<u>/ms</u>
PBT		Persist	tent.	Bioaccumu

Persistent, Bioaccumulative and Toxic substance vPvB

very Persistent, very Bioaccumulative substance.

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and sources of data

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eq. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.

Other data

Safety Data Sheet made by: "THETA" Doradztwo Techniczne

section: 1-16 Changes:

This SDS annuls and replaces all previous versions

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.